



ELEVATION
N.T.S.



SECTION
N.T.S.

TABLE 523 - 1
FENCE DIMENSIONS

TYPE	"A"
6'-0" HIGH FENCE	2'-0"
4'-6" HIGH FENCE	1'-3"



DETAIL
N.T.S.

- NOTES:**
1. ALL FASTENERS TO BE IN COMPLIANCE WITH MANUFACTURER SPECIFICATIONS
 2. 2x4 10x10 WELDED WIRE MESH (W.W.M.) TO BE HOT-DIPPED GALVANIZED.
 3. CONCRETE SHALL BE 2500 P.S.I.
 4. A 4' - 6" HIGH FENCE CAN BE ERECTED WHEN THE POND IS 3' - 0" OR LESS TO THE 25 YEAR STORM ELEVATION.
 5. A FENCE IS ALWAYS REQUIRED.
 6. OTHER WIRE GAUGES CAN BE ACCEPTED AS REQUIRED BY ENGINEER.
 7. FENCE TO BE PLACED OUTSIDE OF ACCESS.
 8. ACCESS ROAD TO BE 10' INSIDE OF FENCE.
 9. FENCE TO BE PLACED AT 25 YEAR STORM ELEVATION.

95% SUBMITTAL

FULTON COUNTY STANDARD DETAIL 523
FENCE DETAIL FOR DETENTION PONDS
SHEET 1 OF 2

DATE	REVISIONS	DATE	REVISIONS
M/Y	XXX	M/Y	XXX

DGS/DRN/CHKD: XXX
APPROVED: XXX
DATE: XX-X-XX



FULTON COUNTY PUBLIC WORKS
141 PRYOR ST. ATLANTA, GA. 30303
404-612-7400 FAX: 404-224-0498

DRAWING NO.
523